


# ENERGIZER L91-FR6

AA



## Industry Standard Dimensions

This battery has Underwriters Laboratories component recognition (MH29980)




## Specifications

<b>Classification:</b>	Lithium
<b>Chemical System:</b>	Lithium/Iron Disulfide (Li/FeS <sub>2</sub> )
<b>Designation:</b>	IEC-FR6
<b>Nominal Voltage:</b>	1.5 Volts
<b>Storage Temp:</b>	-40°C to 60°C
<b>Operating Temp:</b>	-40°C to 60°C
<b>Typical Weight:</b>	14.5 grams
<b>Typical Volume:</b>	8.0 cubic centimeters
<b>Max Discharge:</b>	2.0 amps continuous 3.0 amps pulse (2 sec on/8 sec off)
<b>Typical Li Content:</b>	0.98 grams
<b>Shelf Life:</b>	15 years at 21°C (90% of rated capacity)
<b>Shipping:</b>	For complete details, please reference: Global (except US): Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations United States: 49 CFR 173.185

## Milliamp-Hours Capacity

Constant Current Discharge to 0.9 Volts at 21°C




## Milliwatt-Hours Capacity at Cold/Room Temperature

Constant Power Discharge to 1.0 Volts at 0°C and 21°C  
Recommended Lithium Operating/Storage Temperature: -40°C to 60°C


### Cold Temperature (0°C)

Constant Power Discharge



### Room Temperature (21°C)

Constant Power Discharge



### Important Notice



This datasheet contains typical information specific to products manufactured at the time of its publication.  
©Energizer Holdings, Inc. - Contents herein do not constitute a warranty.

# ENERGIZER L91-FR6

**AA**


## Typical Discharge Curve Characteristics

Constant Current Discharge at 21°C (low and high drains)




## Constant Power Performance

Typical Characteristics to 1.0 Volts (21°C)







## Constant Current Performance

Typical Characteristics to 1.0 Volts (21°C)



## Industry Standard Tests (21°C)



### Important Notice

This datasheet contains typical information specific to products manufactured at the time of its publication.  
©Energizer Holdings, Inc. - Contents herein do not constitute a warranty.